

# Material Safety Data Sheet (MSDS)

Product Name : CP POLYMER CB530G (All Color) Revision Date : Mar. 1, 2020 (Rev.0)

# 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Identifier : CB530G (All Color)
Chemical Name(s) : Poly(1,4-butylene terephthalate)
Product application : Engineering Plastics
Characteristics of Product : Thermoplastic Compound for General Injection Processing
<ul> <li>Details of the supplier of the safety data sheet</li> <li>Company Identification</li> <li>C&amp;P Corporation</li> <li>101-522, SK Ventium, 166 Gosan-ro, Gunpo-si, Gyeonggi-do, Korea</li> <li>Tel) +82-31-453-3451 Site) www.cppolymer.com</li> </ul>
Manufacturer Information C&P Corporation Jincheon plant

C&P Corporation Jincheon plant 108, Sincheoksandan 4-ro, Deoksan-myeon, Jincheon-gun, Chungcheongbuk-do, Korea Tel) +82-43-532-0847 Institute of Technology, R&D Manager

# 2. COMPOSITION / INGREDIENT INFORMATION

#### **※ ADDITIONAL COMPOSITION / INGREDIENT INFORMATION**

→ Information provided on hazardous components applies to their to pure, dry form. Because these components are encapsulated in plastic, exposure is negligible in normal handling.

Ingredients		
Chemical Name	CAS number	Content(%)
PBT, PET	26062-94-2, 25038-59-9	$70 \pm 5$
Glass fiber	65997-17-3	$30 \pm 5$
Stabilizer etc.	-	< 3

# **3. HAZARD IDENTIFICATION**

X Route of Entry

 $\rightarrow$  Inhalation? Yes

 $\rightarrow$  Skin? No

 $\rightarrow$  Ingestion? Yes

Acute Effect / Hazards

 $\triangleright$  This product is an orderless pellet.

- $\triangleright$  These pellets are slippery and can cause falls if walked upon.
- > The material is not likely to present a hazard from ingestion, inhalation, or skin contact during normal use.
- > Any additives are encapsulated and are not likely to be released except under unusual conditions such as high temperature and certain grinding operations.
- Symptoms of over-exposure
  - ▷ Chronic and Carcinogen hazards
  - $\rightarrow$  Chronic hazards : No chronic effects known
  - $\rightarrow$  Carcinogen or Suspected(yes/no)? No
  - NTP: No LARC: No OSHA: No

## 4. FIRST AID MEASURES

- X The first aid information below is for product at ambient temperature.
- ➡ First Aid Eyes▷ Flush with water for 15min
- First Aid Skin
   Wash skin with soap and water
- First Aid Inhalation
   Remove person to fresh air

First Aid Ingestion

 $\triangleright$  Unlikely to be required

# 5. FIRE AND EXPLOSION DATA

- % Flashpoint (°C) : Not Applicable LEL : NA UEL : NA
- Fire Fighting Measurement
  - Extinguish Media : Foam, CO<sub>2</sub>, Dry Chemical, H<sub>2</sub>O Spray
  - $\triangleright$  Fire Fighting Procedures
    - As Plastic or Rubber Fire
    - Wear protective clothing
  - > Protective Equipment : NIOSH/MSHA Approved Respirator
  - ▷ Unusual Fire and Explosion Hazards
    - Dense black smoke can liberate, if burned without oxygen.
  - ▷ Dust Explosive Hazard
    - Hazardous decomposition fumes are possible including carbon dioxide, carbon monoxide

## 6. ACCIDENTAL RELEASE MEASURES

Protective Equipment : Use appropriate skin and eye protection

# Small Spill

- $\triangleright$  Shovel or Scoop up
- $\triangleright$  Solid residue waste disposal

#### 7. HANDLING AND STORAGE

- Storage Temperature : Ambient
- Storage Pressure : Atmospheric
- Storage and Handling Procedures
  - $\triangleright$  Keep away from ignition source

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- Exposure Guidelines ared Controls
  - Control airborne dust concentration below exposure limits. OSHA Premissible Exposure Limit for nuisance dust is 15 mg/m3. 8hour TWA. ACGIH Threshold Limit Value for particulates not otherwise classified is 10 mg/m3. 8 hour TWA.

#### Respiratory protection

- ▷ None for normal use. When required, use NIOSH approved respiratory protection.
  - Glove protection : Recommended
  - Eye protection : Safety glasses with side shields

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : Pellet
- Odor : Odorless
- Physical State : Solid
- Boiling Point (°C) : ND
- $\blacksquare Melting Point (°C) : 220 270 deg C$
- Evaporation Rate : ND
- pH : ND
- $\blacksquare$  Vapor Density (Air = 1) : NA
- Solubility in water : NA
- Vapor Pressure : Negligible
- Volatiles (1bs/gallon) : ND
- Density: 1.53 1.59 g/cm3 (23°C)

# **10. STABILITY AND REACTIVITY**

- Stability : Stable
- Hazardous Polymerization : No

### 11. TOXICOLOGICAL INFORMATION

▷ No specific toxicity tests have been conducted on this product. Our hazard evaluation is based on information from similar products, the ingredients, technical literature, and professional experience.

- $\triangleright$  Acute toxicity of this class of materials is very low.
- > Dense dust generated by the handling and / or processing of this material may be irritating to the eyes, nose, and throat

#### **12. ECOLOGICAL INFORMATION**

X Ecological test has not been conducted on this product.

## **13. DISPOSAL CONSIDERATIONS**

X Incinerate or landfill in compliance with local, state, and federal regulations.

#### 14. TRANSPORT INFORMATION

- US DOT : Not regulated as a hazardous material or dangerous goods for transportation.
- ICAO/IATA : Not regulated as a hazardous material or dangerous goods for transportation.
- IMO/IMDG : Not regulated as a hazardous material or dangerous goods for transportation.
- RID/ADR : Not regulated as a hazardous material or dangerous goods for transportation.

#### **15. REGULATORY INFORMATION**

SARA (Superfund Amendments and Reauthorization Act) :

- Fire : No
- Immediate : No
- Delayed : No
- Sudden Release : No
- Reactive : No
- CERCLA Reportable Quantity : Not Regulated
- Section 302 : Not Regulated
- Section 304 : Not Regulated

#### **16. OTHER INFORMATION**

This material safety data sheet and the information therein is offered to you in good faith as accurate. We believe the information to be correct but cannot guarantee its accuracy or completeness. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. No warranty is made, either express or implied.

- End of Document -